

References

- Arai, N., Obuchi, M., Matsuhisa, A., Takahashi, Y. & Takatsu, M. (2008). A report of two cases with unilateral lateral medullary infarction associated with respiratory failure. *Clinical Neurology*, 48, 343-346.
- Aydogdu, I., Ertekin, C., Tarlaci, S., Turman, B., Kiylioglu, N. & Secil, Y. (2001). Dysphagia in lateral medullary infarction (Wallenberg's syndrome): An acute disconnection syndrome in premotor neurons related to swallowing activity? *Stroke*, 32, 2081-2087.
- Bassetti, C., Bogousslavsky, J., Mattle, H. & Bernasconi, A. (1997). Medial medullary stroke: Report of seven patients and review of the literature. *Neurology*, 48, 882-890.
- Bieger, D. & Hopkins, D.A. (1987). Viscerotopic representation of the upper alimentary tract in the medulla oblongata in the rat: the nucleus ambiguus. *Journal of Comparative Neurology*, 262, 546-562.
- Boden, K., Hallgren, A. & Will, H.H. (2006, September). Effects of three different swallow maneuvers analyzed by videomanometry. *Acta Radiologica*. 47 (7), 628-633.
- Chaudhuri, G., Hildner, C.D., Brady, S., Hutchins, B., Aliga, N. & Abadilla, E. (2002).

Cardiovascular effects of the supraglottic and super-supraglottic swallowing maneuvers in stroke patients with dysphagia. *Dysphagia*, 17, 19-23.

Daniels, S.K., Ballo, L.A., Mahoney, M.C. & Foundas, A.L. (2000). Clinical predictors of dysphagia and aspiration risk: Outcome measures in acute stroke patients. *Archives of Physical Medicine and Rehabilitation*, 81 (8), 1030-1033.

Daniels, S.K., Brailey, K., Priestly, D.H., Herrington, L.R., Weisberg, L.A. & Foundas, A.L. (1998). Aspiration in patients with acute stroke. *Archives of Physical Medicine and Rehabilitation*, 79 (1), 14-19.

Daniels, S.K., McAdam, C.P., Brailey, K. & Foundas, A.L. (1997). Clinical assessment of swallowing and prediction of dysphagia severity. *American Journal of Speech Language Pathology*, 6 (4), 17-24.

Dantas, R.O., Kern, M.K., Massey, B.T., Dodds, W.J., Kahrilas, P.J., Brasseur, J.G., ... Lang, I.M. (1990). Effect of swallowed bolus variables on oral and pharyngeal phases of swallowing. *American Journal of Physiology*, 258, G675-G681.

Ding R., Larson, C.R., Logemann, J.A. & Rademaker, A.W. (2002). Surface electromyographic and electroglottographic studies in normal subjects under two swallow conditions: Normal and during the Mendelsohn maneuver. *Dysphagia*, 17, 1-12.

Doty, R.W., Richmond, W.H. & Storey, A.T. (1967). Effect of medullary lesions on coordination of deglutition. *Experimental Neurology*, 17, 91-106.

Groher, M.E. (1992). *Dysphagia: Diagnosis and management* (2nd ed.). Boston, MA: Butterworth-Heinemann.

Haines, D.E. (1991). *Neuroanatomy: An atlas of structures, sections, systems* (3rd ed.). Baltimore, MD: Urban & Schwarzenberg.

Heros, R.C. (1982). Cerebellar hemorrhage and infarction. *Stroke*, 13, 106-109.

Heros, R.C. (1992). Surgical treatment of cerebellar infarction. *Stroke*, 23, 937-938.

Horner, J., Buoyer, F.G., Alberts, M.J. & Helms, M.J. (1991). Dysphagia following brain-stem stroke: Clinical correlates and outcome. *Archives of Neurology*, 48 (11), 1170-1173.

Horner, J., Massey, E.W. & Brazer, S.R. (1990). Aspiration in bilateral stroke patients. *Neurology*, 40, 1686-1688.

Horner, J., Massey, E.W., Riski, J.E., Lathrop, D.L. & Chase, K.N. (1988). Aspiration following stroke: clinical correlates and outcome. *Neurology*, 38, 1359-1362.

Isa, K., Kimura, K., Yasaka, M., Minematsu, K. & Yamaguchi, T. (1999). A case with frequent episodes of transient ischemic attack presenting the Wallenberg syndrome before and after the onset of brain infarction. *Clinical Neurology and Neurosurgery*, 39, 573-576.

Jacob, P., Kahrilas, P., Logemann, J.A., Shah, V. & Ha, T. (1989). Upper esophageal sphincter opening and modulation during swallowing. *Gastroenterology*, 97, 469-478.

Kahrilas, P.J., Logemann, J.A., Krugler, C. & Flanagan, E. (1991). Volitional augmentation of the upper esophageal sphincter opening during swallowing. *American Journal of Physiology*, 260, G450-G456.

Kameda, W., Kawanami, T., Kurita, K., Daimon, M., Kayama, T., Hosoya, T. & Kato, T. (2004). Lateral and medial medullary infarction: A comparative analysis of 214 patients. *Stroke*, 35, 694-699.

Kameyama, M., Fushimi, H. & Vdaka, F. (1994). Diabetes mellitus and cerebral vascular disease. *Diabetes Resource Clinical Practice*, 24 [Supplement], S205-S208.

Katoh, J., Hayakawa, M., Ishihara, K. & Kazumi, T. (2000). Swallowing rehabilitation using balloon catheter treatment evaluated by videofluorography in an elderly

patient with Wallenberg's syndrome. *Nippon Ronen Igakkai Zasshi*, 37 (6), 490-494.

Kim, H., Chung, C.S., Lee, K.H. & Robbins, J. (2000). Aspiration subsequent to a pure medullary infarction. *Archives of Neurology*, 57, 478-483.

Kim, J.S. (2000). Vertigo and gait ataxia without usual signs of lateral medullary infarction: A clinical variant related to rostral-dorsolateral lesions. *Cerebrovascular Diseases*, 10, 471-474.

Kim, J.S. (2003). Pure lateral medullary infarction: Clinical-radiological correlation of 130 acute, consecutive patients. *Brain*, 126, 1864-1872.

Kim, J.S., Lee, J.H. & Choi, C.G. (1998). Patterns of lateral medullary infarction: Vascular lesion-magnetic resonance imaging correlation of 34 cases. *Stroke*, 29, 645-652.

Kim, J.S., Lee, J.H. & Lee, M.C. (1995). Sensory changes in the ipsilateral extremity: A clinical variant of lateral medullary infarction. *Stroke*, 26, 1956-1958.

Kim, J.S., Lee, J.H., Suh, D.C. & Lee, M.C. (1994). Spectrum of lateral medullary syndrome: Correlation between clinical findings and magnetic resonance imaging in 33 subjects. *Stroke*, 25, 1405-1410.

Kwon, M., Lae, J.H. & Kim, J.S. (2005). Dysphagia in unilateral medullary infarction: Lateral vs. medial lesions. *Neurology*, 65, 714-718.

Lee, H. & Sohn, C.H. (2002). Axial lateropulsion as a sole manifestation of lateral medullary infarction: A clinical variant related to rostral-dorsolateral lesion. *Neurological Research*, 24, 773-774.

Logemann, J.A. (1987). *Physiologic and anatomic oropharyngeal swallowing disorders* [VHS]. Gaylord, MI: Northern Speech Services.

Logemann, J.A. (1993). *Manual for the videofluoroscopic study of swallowing* (2nd ed.). Austin, TX: Pro-ed.

Logemann, J.A. (1998). *Evaluation and treatment of swallowing disorders* (2nd ed.). Austin, TX: Pro-ed.

Logemann, J.A., Kahrilas, P.J., Kabara, M. & Vakil, N.B. (1989). The benefits of head rotation on pharyngeal dysphagia. *Archives of Physical Medicine and Rehabilitation*, 70, 767-771.

Marcet, A. (1811). History of a singular nervous or paralytic affection attended with anomalous morbid sensations. *Medico-Chirurgical Transactions*, 2, 215-233.

Martin-Harris, B., Brodsky, M.B., Michel, Y., Castell, D.O., Schleicher, M., Sandidge, J.,

Maxwell, R., Blair, J. (2008). MBS measurement tool for swallow impairment-

MBSImp: Establishing a standard. *Dysphagia*, 23, 392-405.

Martino, R., Terrault, N., Ezerzer, F., Mikulis, D. & Diamant, N.E. (2001). Dysphagia in

a patient with lateral medullary syndrome: Insight into the central control of

swallowing. *Gastroenterology*, 121, 420-426.

Mepani, R., Antonik, S., Massey, B., Kern, M., Logemann, J., Pauloski, B., ... Shaker, R.

(2009). Augmentation of deglutitive thyrohyoid muscle shortening by the Shaker

exercise. *Dysphagia*, 24, 26-31.

Orem, J. (1994). Respiratory neurons and sleep. In M.H. Kryger, T. Roth, & W.C.

Dement (Eds.), *Principles and practice of sleep medicine* (2nd ed.). London,

England: W.B. Saunders.

Pearce, J.M.C. (2000). Historical note: Wallenberg's syndrome. *Journal of Neurology,*

Neurosurgery and Psychiatry, 68, 570.

Robbins, J., Butler, S.G., Daniels, S.K., Gross, R.D., Langmore, S., Lazarus, C.L., ...

Rosenbek, J.C. (2008). Swallowing and dysphagia rehabilitation: Translating

principles of neural plasticity into clinically oriented evidence. *Journal of Speech,*

Language, and Hearing Research, 51, S276-S300.

Robbins, J. & Levine, R. (1993). Swallowing after lateral medullary syndrome plus.

Clinics in Communication Disorders, 3 (4), 45-55.

Sacco, R.L., Freddo, L., Bello, J.A., Odel, J.G., Onesti, S.T. & Mohr, J.P. (1993).

Wallenberg's lateral medullary syndrome: Clinical-magnetic resonance imaging correlations. *Archives of Neurology, 50*, 609-614.

Schroeder, M.F., Daniels, S.K., McClain, M., Corey, D.M. & Foundas, A.L. (2006).

Clinical and cognitive predictors of swallowing recovery in stroke. *Journal of Rehabilitation Research and Development, 43* (3), 301-310.

Shaker, R., Easterling, C., Kern, M., Nitschke, T., Massey, B.T., ... Daniels, S.K. (2002).

Rehabilitation of swallowing by exercise in tube-fed patients with pharyngeal dysphagia secondary to abnormal UES opening. *Gastroenterology, 122*, 1314-1321.

Shaker, R., Kern, M., Bardan, E., Taylor, A., Stewart, E., ... Hoffman, R.G. (1997).

Augmentation of deglutitive upper esophageal sphincter opening in the elderly by exercise. *American Journal of Physiology, 272*, G1518-G1522.

Tatu, L., Moulin, T., Bogousslavsky, J. & Duvernoy, H. (1996). Arterial territories of the

human brain: Brainstem and cerebellum. *Neurology, 47*, 1125-1135.

Tsukamoto, Y. (2000). CT study of closure of the hemipharynx with head rotation in a case of lateral medullary syndrome. *Dysphagia, 15*, 17-18.

Vigderman, A.M., Chavin, J.M., Kososky, C. & Tahmoush, A.J. (1998). Aphagia due to pharyngeal constrictor paresis from acute lateral medullary infarction. *Journal of Neurological Sciences, 155*, 208-210.

Waxman, M.J., Durfee, D., Moore, M., Morantz, R.A. & Koller, W. (1990, October). Nutritional aspects and swallowing function of patients with Parkinson's Disease. *Nutrition in Clinical Practice, 5* (5), 196-199.

Wilcox, F., Liss, J.M. & Siegal, G.M. (1996). Interjudge agreement in videofluoroscopic studies of swallowing. *Journal of Speech and Hearing Research, 39*, 144-152.